


GALFAN COATED WIRE MESH PANEL

Technical Specification



Manufactured in the UK, to BS EN 10223-8:2013 standards 

AT A GLANCE

Technical Specification	
Material & Finish	Galfan Coated Steel
Construction	Welded square mesh
Colour	Grey
Height	15cm (0.50ft) - 202.5 (6.60ft)
Length	15cm (0.50ft) - 202.5 (6.60ft)
Coating	95% Zinc, 5% Al
Hole Size	75mm x 75mm
Wire Diameter	3mm, 4mm and 5mm
Weld Strength	75% of min. wire tensile strength
Tensile strength range	540-770 N/mm ²
Site Categories	C2 to C4
Life Expectancy	Up to 50 yrs for C2
Manufactured In	UK
Conforms To	BS EN 10223-8:2013, BS EN 10218-2:2012, BS EN 10244-2:2009

SIZE OPTIONS

Available in standard and [custom size](#) options ranging from 15cm - 202.5cm.

Standard Length	Standard Height	Gauge	Wire Diameter	Weight
45cm	45cm	10g.	3mm	0.31kg
45cm	97.5cm	10g.	3mm	0.67kg
45cm	150cm	10g.	3mm	1.04kg
45cm	202.5cm	10g.	3mm	1.40kg
97.5cm	97.5cm	10g.	3mm	1.46kg
97.5cm	150cm	10g.	3mm	2.24kg
97.5cm	202.5cm	10g.	3mm	3.03kg
150cm	150cm	10g.	3mm	3.45kg
202.5cm	202.5cm	10g.	3mm	6.28kg
45cm	45cm	8g.	4mm	0.54kg
45cm	97.5cm	8g.	4mm	1.17kg
45cm	150cm	8g.	4mm	1.75kg
45cm	202.5cm	8g.	4mm	2.43kg
97.5cm	97.5cm	8g.	4mm	2.54kg
97.5cm	150cm	8g.	4mm	3.9kg
97.5cm	202.5cm	8g.	4mm	5.27kg
150cm	150cm	8g.	4mm	6kg
202.5cm	202.5cm	8g.	4mm	10.94kg
45cm	45cm	6g.	5mm	0.8kg
45cm	97.5cm	6g.	5mm	1.75kg
45cm	150cm	6g.	5mm	2.81kg
45cm	202.5cm	6g.	5mm	3.64kg
97.5cm	97.5cm	6g.	5mm	3.8kg
97.5cm	150cm	6g.	5mm	5.84kg

97.5cm	202.5cm	6g.	5mm	7.89kg
150cm	150cm	6g.	5mm	8.99kg
202.5cm	202.5cm	6g.	5mm	16.39kg