


SUPER PRIME WELDED WIRE MESH

Technical Specification



Manufactured in Europe, to BS EN Standards ✓

AT A GLANCE

Technical Specification	
Material & Finish	Galvanised Steel
Construction	Square Apertures
Colour	Silver/Grey
Height	20cm (0.65ft) - 1.8m (6ft)
Length	6m (20ft) - 30m (98ft)
Wire Diameter	23g.(0.6mm) - 14g.(2mm)
Manufactured In	EU
Conforms To	BS EN 10218-2:2012, BS EN 10244-2:2009

GRADING

Type	Method	Properties
SUPER PRIME (Made in Europe)	Uses a double method: pre-galvanised steel wires are assembled to create the final product which is then hot dipped again in a very thick layer of zinc.	Best quality for professional use. Increased abrasion & corrosion resistance - can withstand harsher conditions. Longer lifespan.

SIZE OPTIONS

Hole size	Height	Length	Gauge	Wire Diameter	Weight
6mm x 6mm	90cm	6m	23g.	0.6mm	5kg
6mm x 6mm	30cm	30m	23g.	0.6mm	8.3kg
6mm x 6mm	90cm	30m	23g.	0.6mm	25kg
13mm x 13mm	90cm	6m	19g.	1mm	5.8kg
13mm x 13mm	90cm	6m	16g.	1.6mm	13.2kg
13mm x 13mm	90cm	30m	19g.	1mm	29kg
13mm x 13mm	90cm	30m	16g.	1.6mm	66kg
13mm x 13mm	1.2m	30m	16g.	1.6mm	88kg
13mm x 13mm	1.8m	30m	16g.	1.6mm	130kg
13mm x 25mm	90cm	6m	19g.	1mm	4.2kg
13mm x 25mm	90cm	6m	16g.	1.6mm	9.5kg
13mm x 25mm	1.2m	6m	19g.	1mm	5.8kg
13mm x 25mm	1.2m	6m	16g.	1.6mm	14.6kg
13mm x 25mm	55cm	30m	19g.	1mm	12.8kg
13mm x 25mm	60cm	30m	19g.	1mm	14kg
13mm x 25mm	90cm	30m	19g.	1mm	21kg
13mm x 25mm	90cm	30m	16g.	1.6mm	47kg
13mm x 25mm	1.2m	30m	19g.	1mm	29kg



13mm x 25mm	1.2m	30m	16g.	1.6mm	73kg
19mm x 19mm	60cm	6m	16g.	1.6mm	5.6kg
19mm x 19mm	90cm	6m	16g.	1.6mm	5.6kg
19mm x 19mm	60cm	30m	16g.	1.6mm	28kg
19mm x 19mm	90cm	30m	16g.	1.6mm	43kg
19mm x 19mm	1.2m	30m	16g.	1.6mm	56kg
25mm x 25mm	60cm	6m	16g.	1.6mm	4.2kg
25mm x 25mm	90cm	6m	19g.	1mm	2.9kg
25mm x 25mm	90cm	6m	16g.	1.6mm	7kg
25mm x 25mm	60cm	10m	16g.	1.6mm	7kg
25mm x 25mm	20cm	30m	16g.	1.6mm	7kg
25mm x 25mm	60cm	30m	16g.	1.6mm	21kg
25mm x 25mm	90cm	30m	19g.	1mm	14kg
25mm x 25mm	90cm	30m	16g.	1.6mm	35kg
25mm x 25mm	90cm	30m	14g.	2mm	54kg
25mm x 25mm	1.2m	30m	14g.	2mm	76kg
25mm x 25mm	1.8m	30m	16g.	1.6mm	64kg