


PRIME WELDED WIRE MESH

Technical Specification



Manufactured in Europe, to BS EN Standards ✓

AT A GLANCE

Technical Specification	
Material & Finish	Galvanised Steel
Construction	Square Apertures
Colour	Silver/Grey
Height	90cm (3ft) - 1.8m (6ft)
Length	6m (20ft) - 30m (98ft)
Wire Diameter	16g.(1.6mm) -14g.(2mm)
Manufactured In	EU
Conforms To	BS EN 10218-2:2012, BS EN 10244-2:2009

GRADING

Type	Method	Properties
PRIME (Made in Europe)	Pre-galvanised wires are welded together to create the final product.	Strong weld points. Uniform & regular weld mesh. Smooth finish. Good corrosion resistance.

SIZE OPTIONS

Hole size	Size	Length	Gauge	Wire Diameter	Weight
13mm x 13mm	1.2m	6m	16g.	1.6mm	19.5kg
13mm x 13mm	90cm	12.5m	16g.	1.6mm	23.5kg
13mm x 13mm	1.2m	12.5m	16g.	1.6mm	32kg
13mm x 13mm	90cm	25m	16g.	1.6mm	47kg
13mm x 13mm	1.2m	25m	16g.	1.6mm	77kg
13mm x 25mm	90cm	12.5m	16g.	1.6mm	17.5kg
13mm x 25mm	90cm	25m	16g.	1.6mm	35kg
13mm x 25mm	1.2m	25m	16g.	1.6mm	47kg
19mm x 19mm	90cm	12.5m	16g.	1.6mm	16.5kg
19mm x 19mm	90cm	25m	16g.	1.6mm	33kg
25mm x 25mm	90cm	6m	16g.	1.6mm	5.4kg
25mm x 25mm	90cm	12.5m	15g.	1.8mm	17.5kg
25mm x 25mm	1.2cm	12.5m	15g.	1.8mm	23.5kg
25mm x 25mm	1.2m	15m	16g.	1.6mm	18kg
25mm x 25mm	1.8m	15m	16g.	1.6mm	27kg
25mm x 25mm	90cm	25m	15g.	1.8mm	35kg
25mm x 25mm	1.2m	25m	15g.	1.8mm	47kg
25mm x 25mm	90	30m	-	1.5mm	27kg



25mm x 25mm	1.2m	30m	-	1.5mm	45kg
50mm x 50mm	1.2m	12.5m	14g.	2mm	14.5kg
50mm x 50mm	1.5m	12.5m	14g.	2mm	16kg
50mm x 50mm	1m	25m	14g.	2mm	26kg
50mm x 50mm	1.2m	25m	14g.	2mm	29kg
50mm x 50mm	1.5m	25m	14g.	2mm	39kg
50mm x 50mm	90cm	30m	16g.	1.6mm	17kg
50mm x 50mm	1.2m	30m	16g.	1.6mm	23kg
50mm x 50mm	1.8m	30m	16g.	1.6mm	35kg