



## RABBIT FENCING INSTALLATION With T-Posts



### THINGS YOU'LL NEED


- <u>31mm Wire mesh netting</u>
- <u>T Posts</u>
- Tape measure
- Post driver or mallet
- <u>Cable ties</u>
- Pegs
- Spirit level
- String
- <u>Tensioning wire</u> (optional)
- Plier (optional)
- Spade (optional)
- Cement (optional)


### INSTRUCTIONS



Telephone: 0330 124 3556

11-15 Barlow Road, Levenshulme, Manchester, M19 3DH





### Step 7: Install Middle Posts

For middle post installation, repeat steps 3-5.


Ensure that the posts are facing in the same direction and have been installed both straight and at the equal height.

For additional strength, you can also secure the middle posts with concrete.

## Step 8 (Optional): Install Tension Wire


When using a light weight mesh, you may want to attach a tension wire between the end posts to prevent any potential sagging.

Wrap the tension wire around the end post's hole, and use a plier to secure it by twisting the wire's end.



### Step 9: Dig a Trench


Dig a trench along your fence line for the netting at a depth of 30cm.



## Step 10: Secure Mesh to End Post

Fasten the mesh to the end post with cable ties that can be threaded through the pre-drilled holes in the post.


If needed, you can add additional cable ties by enclosing the entire post.




### Step 11: Bend the Mesh

Fold the bottom of the mesh at a 90-degree angle to form a 15cm lip.

This extension will cover the trench's bottom on the outside of your fence.







## Step 15: Cover the Trench

Cover the outer flap by adding a layer of 5cm of soil or mulch over it.

**Optional:** Add a layer of concrete into the trench to provide extra security against digging.